

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:	Joachim Fouret, et al.	Examiner:	R. Singh
Serial No.:	10/688,642	Art Unit:	2614
Filed:	October 17, 2003	Attorney Docket No.:	16064ABUS01U
Title:	METHOD AND APPARATUS FOR FAST DMTF DETECTION		

Attn: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 CFR 1.322

Dear Sir:

A review of the issued claims indicated that the US PTO spelled several claim terms incorrectly in claims 1, 11, and 18. Specifically,

Claim 1	Column 10, line 44 fitters should be filters.
Claim 11	Column 11, line 55 tome should be tone.
Claim 18:	Column 12, line 36 liner should be linear.

The claim terms were spelled correctly in the claims as presented by applicants, and were spelled incorrectly when the patent issued. Accordingly, these mistakes were the result of PTO error. Applicants respectfully request that these errors be corrected by issuance of a certificate of correction.

Since this mistake occurred through the fault of the Office, no fee is believed due in connection with issuance of this Certificate of Correction. If any fees are due in connection with this filing, the Commissioner is hereby authorized to charge payment of the fees associated with this communication or credit any overpayment to Deposit Account No. 502246 (Ref. NN-16064).

Respectfully Submitted

Dated: September 26, 2008

Anderson Gorecki & Manaras LLP
P.O. Box 553
Carlisle, MA 01741
Tel: (978) 264-4001
Fax: (978) 264-9119

/John C. Gorecki/
John C. Gorecki, Reg. No. 38,471